

PFEIFER

PR-id 60486

DEMAG AC220-5 POA

Dutch Registration, 10x6x10, 220t Capacity,
78m Main Boom, 21 m folding swing-away jib,
IC-1 Plus, 70.2t Counterweight, Camera
System, Airco In Both Cabs

OP WEBSITE BEKIJKEN



Özellikler

Driving mechanism	Wielaandrijving
Model Y?l?	2020
Saatler	1
Kilometre	62585
?asi No	WMGKB5176LZVF0609
Seri No	82609
CE markas?	✓
Mevcut olan kitaplar	✓
Lastikler % iyi	90
Airco undercarriage	✓
Klima üstyap?	✓
Boom monteli kamera	✓
Net a??rl?k (kg)	48000
Uzunluk (m)	15.3
Width (m)	3

Height (m)	4
Yükleme / kaldırma kapasitesi (kg)	220000
Yakıt	Diesel
Motor üreticisi taahhütcü	Scania
Motor Türü	DC13 EuroMot 4 / Tier 4F
Silindir sayısı	6
Turbo	1
Azami hız (km/h)	85
Min-1 / devir sayısı	2100
Şanziman	Automatic
Joystick kullanımı	✓
Merkez yerleme	✓
Ekstra hidrolik fonksiyon	✓
Tire size	445/95 R 25
kW Kapasite	368
Beygir gücü kapasite	500
Arka kamera	✓
Counterweight total kg	70200
Karşı ağırlık sayısı	8
Number of blocks	2
Block weight 1	80
Nr of sheaves block 1	3
Block weight 2	32
Nr of sheaves block 2	1
Vinç ayak pedi var	✓
Minimum direk uzunluğu (m)	13
Maksimum direk yüksekliği (m)	78
Boom sections (m)	6
Jib	✓
Jib type	Double jib
Jib length (m)	21m Double folding swing-away jib (HAV 21m)

Kabin ?s?t?c?	✓
Güvenlik a??r? yük göstergesi	✓
Çal??ma geni?li?i (m)	8.4
Aks say?s?	5
Intarder / Retarder	Intarder